

CERTIFICATE OF PACKAGING PERFORMANCE

UN Marking Certification Scheme Certification Serial No.: UN 111629 0002 Rev. 00 Initial No.: -

Test Report Ref: 7191253418-EEC21/02-NKH


Issue To:	Dong Nai Petroleum Mechanical One Member Limited Company Lot 108-109-110, Nhon Trach Textile IZ, Hiep Phuoc Ward, Nhon Trach District, 810000 Dong Nai Province, VIETNAM
UN Packing Type Code:	1A1 Packing Group II (Y)
Description of Packaging:	200 Litres Close Head Steel Drum, Top and Bottom seamed with plug. Size of the drum: Drawing no. C1L dated 11/2020 on page 05 of test report 7191253418-EEC21/02-NKH Material: JIS G3141 SPCC-SD Nominal Capacity: 200 litres Weight of Drum: 16.2kg Measured Thickness: Top: 0.9mm, Body: 0.9mm, Bottom: 0.9mm

Packaging of the design type described above may bear the following marking:

Date of

Expiry:







Date of Original Issue:

2021-03-18

2024-03-17

Page 1 of 2 Date of Last 2021-03-18 Revision:

** To be replaced by last two

digits of the year of manufacture

(KHEE HENG HOW) TÜV SÜD PSB

This Certificate is the property of TÜV SÜD PSB Pte Ltd. Reports listed in this certificate is an integral part of the certificate and should be read in conjunction with it. The use of this Certificate is subjected to TÜV SÜD Group Testing and Certification Regulations; TÜV SÜD PSB Pte Ltd (PSB) General Terms and Conditions of Business and PSB UN Mark Certification Scheme Application Fact Sheet. The manufacturer is solely responsible for compliance of any product that has the same designation as the product type-tested. Persons relying on this Certificate should verify its validity by checking the e-directory: www.tuvsud.com/ps-cert. For more information on TÜV SÜD PSB Pte Ltd product certification: www.tuv-sud-psb.sg



CERTIFICATE OF PACKAGING PERFORMANCE UN Marking Certification Scheme Certification Serial No.: UN 111629 0002 Rev. 00 Initial No.: -

It is certified that the samples of the design type described above have been tested in accordance with the provisions of the United Nations Recommendations on the Transport of Dangerous Goods (19th Revised Edition: 2015) Chapter 6 and successfully met the criteria described in paragraphs 6.1.5.3 to 6.1.5.6 as shown below:

Test		Intensity
Drop Test to Clause	6.1.5.3	1.2m
Leakproofness Test to Clause	6.1.5.4	20kPa for 5 minutes
Internal Pressure (Hydraulic) Test to Clause	6.1.5.5	200kPa for 5 minutes
Stacking Test to Clause	6.1.5.6	24 hours at 640kg

Page 2 of 2 Date of Last 2021-03-18 Revision:

(KHEE HENG HOW) TÜV SÜD PSB

This Certificate is the property of TÜV SÜD PSB Pte Ltd. Reports listed in this certificate is an integral part of the certificate and should be read in conjunction with it. The use of this Certificate is subjected to TÜV SÜD Group Testing and Certification Regulations; TÜV SÜD PSB Pte Ltd (PSB) General Terms and Conditions of Business and PSB UN Mark Certification Scheme Application Fact Sheet. The manufacturer is solely responsible for compliance of any product that has the same designation as the product type-tested. Persons relying on this Certificate should verify its validity by checking the e-directory: www.tuvsud.com/ps-cert. For more information on TÜV SÜD PSB Pte Ltd product certification: www.tuv-sud-psb.sg